

Message

---

**From:** Clark, Jacqueline [clark.jacqueline@epa.gov]  
**Sent:** 2/29/2016 1:06:33 PM  
**To:** Reinhart, Roger [Reinhart.Roger@epa.gov]; Kier, Lori [Kier.Lori@epa.gov]; Johnson, KarenD [Johnson.KarenD@epa.gov]  
**CC:** Jamieson, Cheryl [Jamieson.Cheryl@epa.gov]; Field, Stephen [Field.Stephen@epa.gov]; Shoven, Heather [shoven.heather@epa.gov]  
**Subject:** RE: Willow Grove/Warminster questions

ENFORCEMENT CONFIDENTIAL - ATTORNEY CLIENT COMMUNICATION

**Ex. 5 AC/AWP/DP**

Associate Regional Counsel  
U.S. EPA, Region 5 (C-14J)  
77 W. Jackson Blvd.  
Chicago, IL 60604  
Direct: (312) 353-4191  
Fax: (312) 385-5474  
email: [clark.jacqueline@epa.gov](mailto:clark.jacqueline@epa.gov)

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

---

**From:** Reinhart, Roger  
**Sent:** Monday, February 29, 2016 7:00 AM  
**To:** Kier, Lori ; Johnson, KarenD ; Clark, Jacqueline  
**Cc:** Jamieson, Cheryl ; Field, Stephen ; Shoven, Heather  
**Subject:** RE: Willow Grove/Warminster questions

Lori - DuPont had provided comprehensive sampling results for all of the monitoring conducted in the vicinity of the Washington Works facility. Maps were also provided. I will search through my files today for that information which was also provided to Region 5. I do have a list of all sampling results which exceed 0.050 ppb

**Ex. 5 AC/AWP/DP**

**Ex. 5 AC/AWP/DP**

Roger

---

**From:** Kier, Lori  
**Sent:** Friday, February 26, 2016 12:59 PM  
**To:** Reinhart, Roger <[Reinhart.Roger@epa.gov](mailto:Reinhart.Roger@epa.gov)>; Johnson, KarenD <[Johnson.KarenD@epa.gov](mailto:Johnson.KarenD@epa.gov)>; Clark, Jacqueline

<clark.jacqueline@epa.gov>

**Cc:** Jamieson, Cheryl <Jamieson.Cheryl@epa.gov>; Field, Stephen <Field.Stephen@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>

**Subject:** Re: Willow Grove/Warminster questions

Thanks, Roger. One follow-up to your second paragraph below:

# Ex. 5 AC/AWP/DP

*Lori Kier*

Senior Assistant Regional Counsel

US EPA Region III

1650 Arch Street

Philadelphia, PA 19103

(215) 814-2656

[kier.lori@epa.gov](mailto:kier.lori@epa.gov)

---

**From:** Reinhart, Roger

**Sent:** Friday, February 26, 2016 11:23 AM

**To:** Johnson, KarenD; Clark, Jacqueline

**Cc:** Kier, Lori; Jamieson, Cheryl; Field, Stephen; Shoven, Heather

**Subject:** Re: Willow Grove/Warminster questions

# Ex. 5 AC/AWP/DP

---

**From:** Johnson, KarenD

**Sent:** Friday, February 26, 2016 2:33 PM

**To:** Clark, Jacqueline  
**Cc:** Kier, Lori; Reinhart, Roger; Jamieson, Cheryl; Field, Stephen; Shoven, Heather  
**Subject:** Re: Willow Grove/Warminster questions

We have maps and tables from the progress reports which we've been getting  
That is our starting point from the most recent data  
Roger-I know we have them in paper but do you have any of the maps electronically?

Sent from my iPhone

On Feb 25, 2016, at 9:08 PM, Clark, Jacqueline <[clark.jacqueline@epa.gov](mailto:clark.jacqueline@epa.gov)> wrote:

ATTORNEY CLIENT COMMUNICATION

In addition to Lori's question, below, can you provide the universe (if known) of public and private water supplies in the vicinity of the Washington Works facility with PFOA above the detection level that are currently NOT receiving treatment? Thanks-Jacque

Jacqueline Clark

Associate Regional Counsel  
U.S. EPA, Region 5 (C-14J)  
77 W. Jackson Blvd.  
Chicago, IL 60604  
Direct: (312) 353-4191  
Fax: (312) 385-5474  
email: [clark.jacqueline@epa.gov](mailto:clark.jacqueline@epa.gov)

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

---

**From:** Kier, Lori  
**Sent:** Thursday, February 25, 2016 7:10 PM  
**To:** Johnson, KarenD <[Johnson.KarenD@epa.gov](mailto:Johnson.KarenD@epa.gov)>; Reinhart, Roger <[Reinhart.Roger@epa.gov](mailto:Reinhart.Roger@epa.gov)>  
**Cc:** Clark, Jacqueline <[clark.jacqueline@epa.gov](mailto:clark.jacqueline@epa.gov)>; Jamieson, Cheryl <[Jamieson.Cheryl@epa.gov](mailto:Jamieson.Cheryl@epa.gov)>; Field, Stephen <[Field.Stephen@epa.gov](mailto:Field.Stephen@epa.gov)>  
**Subject:** Willow Grove/Warminster questions

Attorney - Client Communication

Roger/Karen --

**Ex. 5 AC/AWP/DP**

Thanks.

-----  
*Lori Kier*

Senior Assistant Regional Counsel  
US EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
(215) 814-2656  
[kier.lori@epa.gov](mailto:kier.lori@epa.gov)